



HEYNCK[®]

The perfect machine for service work

About us

For more than 45 years B. Heynck GmbH has been a manufacturer and partner for new production of high-performance hydraulic cylinders. You can find our products in mining and also in all branches of industry, no matter how high the challenge is, no matter how different the environmental influences are.

We would be happy to present our latest development- **the mobile jack Q-Jack 3519**- for easy use on site. Downtimes are minimized and time-consuming and expensive rescue costs avoided.

We will kindly answer your questions and advice you according to your individual requirements. With pleasure we will make you an offer.

HEYNCK®



Hydraulic mobile jack
Q-Jack 3519

Technical specification Q-Jack 3519



- 6m connection hoses and quick coupling
- Set of extension elements
- Height min. 350 mm (unpressured)
- Height max. 665mm (pressured without extension)
- Height max. 1010 mm (pressures with extension)
- Working pressure max 200 bar
- Hydraulic cylinder 1. Stage= 35 to 2. Stage= 19 to

How does the Q-Jack work:



The Q-Jack works with an mobile hydraulic system controlled by an double control unit. It can connected to a tractor or a construction machine. The maximum volume flow 30 l/min must not be crossed.

contact

B. Heynck GmbH
Ruenhorst 31
D-46395 Bocholt
(Germany)

Tel: + 49 2871 / 23 697 - 0
Fax: + 49 2871 / 23 697 - 190
Mail: info@heyneck.de
www.heyneck.de
www.q-jack.com